


4G/IP/GSM SMART VISITOR DOOR ENTRY

IPGUARD® RANGE











IPGUARD 4G/IP/GSM

3000-FLAT CAPACITY WIRELESS VISITOR DOOR ENTRY & ACCESS CONTROL

IPGUARD PRO



IPGUARD PRO (FLUSH)

Backbox: 335H x 142W x 60D mm Facia and flange: 390H x 200W mm

BS316 S.Steel



IPGUARD PRO (SURFACE)

355H x 165W x 80DB x 110DT mm

BS316 S.Steel



OR



Hidden pinhole HD camera



Customisable colour screen display

Wide angle HD camera



IPGUARD MINI

IPGUARD MINI PLUS

IPGUARD MINI TOUCH

Push-button version for 1 to 4 flats with digital labels









IPGUARD MINI

Backbox: 245H x 95W x 45D mm Facia: 270H x 120W x 14D mm

Aluminium

IPGUARD MINI PLUS

Backbox: 254H x 95W x 60D mm Facia: 280H x 120W x 3D mm

BS316 Stainless steel

IPGUARD MINI PLUS (SURFACE)

285H x 123W x 72DB x 91DT mm

BS316 Stainless steel

IPGUARD MINI TOUCH

Backbox: 245H x 95W x 45D mm Facia: 270H x 120W x 14D mm

> Aluminium or BS316 Stainless steel



Braille illuminated keypad



Hearing aid induction loop



Hidden security fixings


IPGUARD APP

THE BEST VIDEO RECEIVER IS ALWAYS WITH YOU

HOW DOES IT WORK?









* Smartphone, iPad, tablet etc.



I OPEN THE DOOR FROM MY DEVICE



LIVE HD VIDEO OF VISITORS



See your visitors and open the door via the APP. All openings are logged for security.





PICTURE LOG OF ALL VISITORS

View a log of all visitor calls - received, missed, door opened, access denied - all with time and date.





HD QUALITY IMAGES





Open the door or vehicle gate. Speak handsfree or privately.









Discrete preview before answering. Shows visitor calling location. Press REFUSE to cancel the call if you do not want to answer.



ZOOM IN & FULL SCREEN






Download the free APP from Google Play or the Apple APP store.



USERS CAN OPEN DOORS WITH THEIR PHONES



1 DIGITAL HANDS-FREE ACCESS



BLUETOOTH OPTION

Download the Proximity Key onto your Smart Phone for Hands-Free access when you approach the door! This is a game changer for elderly persons.

2 THE VIRTUAL KEY

Open a specific door(s) by pressing a virtual key(s) on the IPGUARD App.

The virtual key can work in proximity mode, which only lets the user open the door via the IPGUARD APP in close vicinity of the IPGUARD panel, or Free mode which lets the user open the door from anywhere.

All openings logged on BATICONNECT CLOUD for security purposes.

3 DELIBERATE ACTION

- 1. Shake your Smart Phone in the vicinity of the IPGUARD panel to open the door.
- 2. Present your Smart Phone to the reader to open the door same concept as Apple Pay.

Use BATICONNECT® CLOUD to send Virtual Keys to subcontractors!

KEY BENEFITS







ACCESSIBLE



SECURE



SUSTAINABLE

BATICONNECT CLOUD 24/7/365 REAL-TIME REMOTE MANAGEMENT OF ALL YOUR SITES



THE BENEFITS

Unlimited video and data communications package, NO additional line rental costs.

Unlimited real-time **www.baticonnect.com** CLOUD support, NO software required.

The BATICONNECT CLOUD platform provides:

- 1. Automatic on-going system data back-up.
- Client access 24/7/365 for remote programming of telephone numbers, proximity keyfobs, radio transmitters, keypads, digital displays and IPKEYSAFE (secure key storage) on all controlled doors and vehicle entrances.
- 3. A full audit trail and data retrieval of all system usage.



TOTAL 24/7/365 REAL-TIME MANAGEMENT OF ALL YOUR SITES

PROGRAM ALL SYSTEMS, PANELS, CREDENTIALS REMOTELY



Display names, details



Proximity keyfobs



Keypad codes



Radio transmitters



Keysafes

PROGRAM ACCESS RIGHTS



Date period validity eg. from 28 Sep to 14 Dec 2023



Time zone validity eg. from 08:00-20:00 Monday-Friday



Door/Gate validity Create door/gate authorisation profiles

PROGRAM CUSTOM AUTHORISATION LEVELS, TRANSFER ACCOUNTS. AND AMEND WHO CONTROLS WHICH SITES



CARETAKER
Proximity keys, codes
telephone numbers



MANAGEMENT COMPANY Authorisation levels, multi-site



ADMINISTRATOR Total rights

ALERT NOTIFICATIONS

SMS / Email notifications of forced doors, faults etc.

COMMUNICATE DIRECTLY WITH RESIDENTS

Send SMS messages directly to your residents from BATICONNECT.

EVENT LOGS

Date and time stamp, visitor calling / resident access details, location and plenty more...



FREEDOM AND CONVENIENCE **ACCESSIBLE TO ALL**













RESIDENT USES DEVICES SELECTED BY THEM

Not one size fits all with receiving device imposed on resident by manufacturer.

Future proof, as communications / Smartphone technology evolves so does IPGUARD.



PERFECT FOR THE ELDERLY AND **PERSONS WITH DISABILITIES**

You answer on your own devices - the ones you chose to best suit vour needs.

The call comes to you, not the other way around.

You are safer. If you do not answer the call, it can route through to your carer or children.



CONTACTABLE EVEN WHEN NOT AT HOME

Always in control, always contactable.

Information on all visitors who called your flat available on your smartphone.



AUTOMATIC CALL TRANSFER, MULTI-SHARE

Up to 3no mobiles per dwelling. If no answer, busy or declined, the call automatically routes forward. Simultaneous multi-share calling (coming soon).

IPGUARD works with **ALL** the communications platforms available today!



MOBILES

The 3G/4G mobile network allows you to make and receive audio-visual calls to/ from your friends.

The free IPGUARD Smart App also allows you to receive video calls via the 3G/4G mobile network (many other features too) from IPGUARD **Smart Video Entry Panels.**



WIFI FOR INTERNET

Internet access means everybody uses APP's like Skype, Facetime, WhatsApp, Google Duo, Viber etc to make Video calls between users with the same APP's.

The free IPGUARD Smart App also allows you to receive video calls via any Wi-Fi internet connection (many other features too) from IPGUARD Smart Video **Entry Panels.**



BT LANDLINE

If you use an analogue landline, you can make and receive audio calls to your friends using both fixed and/or cordless telephones.

IPGUARD visitor door entry will also call you via your standard analogue line.

Note: Very few residents now use landlines. We strongly recommend registering your Smartphone mobile numbers.

IPGUARD PRO 4G/IP/GSM BEAUTY, CONVENIENCE AND PERFORMANCE







Flush mounted Surface mounted Post mounted


PROTECTION AGAINST WATER INGRESS

Moulded waterproof casing for electronics.

SIMPLIFIED CONNECTIONS

All located in one location accessed via a detachable compartment lid.

- Powerful PC microprocessor
- · 4G ultra-fast network for quality video image
- · Remote aerial allows for installation in all buildings





FEATURE PACKED

TFT COLOUR SCREEN

Large 3.5" colour screen with graphics Easy menus Customisable, displays building specific information

ANTI-CLONE PROTECTION

VOICE OUTPUT MESSAGES

Six voice prompts to aid visitors



WIDE-ANGLE CAMERA

LED illumination for night usage

Pinhole camera version also available

INTEGRAL PROXIMITY ACCESS CONTROL READER

Bluetooth compatible

BRAILLE KEYPAD

Large 15.6 mm diameter raised buttons Large illuminated 8 mm characters/digits Keypad code for facilities IK09 vandal protection

VISITOR GREETED WITH HIGH QUALITY COLOUR DISPLAY SCREEN



IPGUARD MINI 4G/IP/GSM

THE SMART TECHNOLOGY PANEL THAT DOES EVERYTHING





HIDDEN HD CAMERA

High definition video camera Backlight compensation Pinhole hidden camera





2.9" COLOUR LCD SCREEN

User friendly intuitive interface Text and icons for ease of use Customisable for client branding Quick search feature





BRAILLE KEYPAD

Large 15.6mm dia raised buttons Large illuminated 8mm digits Keypad code for facilities IK09 vandal protection



IPGUARD® MINI

IPGUARD® MINI PLUS



INTEGRAL ILLUMINATED PROXIMITY READER

Lexan anti-vandal Bluetooth compatible (IPGUARD PRO & Mini Plus only)





HEARING AID INDUCTION LOOP

IPGUARD PRO & Mini Plus only



















SILVER

CHAMPAGNE

MATT BLACK

STAINLESS STEEL

BRASS

IPGUARD MINI

IPGUARD MINI PLUS

BUILT TO FACE THE WORLD





MINIMUM MAINTENANCE



AIR, WATER AND WIND TIGHT



REVOLUTIONARY FIXING SYSTEM

Hidden from view
Patented hidden security fixing
Special tool required



PROTECTED ELECTRONICS

Moulded waterproof housing Anti-humidity heater Detachable access section

INTEGRAL AND REMOTE 4G CONNECTIVITY

Integral 4G aerial. Connection for external aerial.

Connection for external 4G router (80 metres max.)

All scenarios covered



IPGUARD TOUCH 4G/IP/GSMFOR SMALLER SITES



COMMERCIAL & RESIDENTIAL

FROM 1 TO 4 CALL BUTTONS WITH DIGITAL LABELS

Program up to 4 displays accessible in 1 click via direct call buttons.

The names are displayed directly on the 4G Mini Touch screen just above the corresponding call button.

DISPLAY UP TO 4 LOGOS ON YOUR 4G MINI TOUCH

Display your logos at the entrance to the building.

DYNAMIC SCREEN

The display area auto-adapts to the length of and number of names to be displayed.

If there is only one name the entire screen is used.

Dynamic name scrolling and two line display features for long names.







CHOOSE FROM A RANGE OF FINISHES







COMMUNICATIONS *

WITH SUBSCRIPTION

Keep initial costs to absolute minimum with a monthly comms subscription.

PREPAID 5 OR 10 YEARS

Or buy 5 or 10 years comms.

* Includes BATICONNECT® CLOUD Portal service.







AIR, WATER AND WIND TIGHT

You can even program how the display screens look from the BATICONNECT® CLOUD Portal.

You have control at all times from any internet enabled device, no software required.





SIMPLE TO INSTALL. EASY TO MAINTAIN

HARDWIRED DOOR ENTRY

LABOUR INTENSIVE LONG INSTALLATION

Kilometres of cable

Proprietary equipment in every flat

All equipment and infrastructure degrades with time

Costly maintenance and system has a finite lifespan

IPGUARD® DOOR ENTRY


STRAIGHTFORWARD AND QUICK INSTALLATION

No cabling

No proprietary equipment

No degradation. No eventual replacement cost.

Remote cost-effective maintenance. No access to the flat is required.





TECHNICAL SPECIFICATIONS









	IPGUARD® PRO	IPGUARD® MINI	IPGUARD® MINI PLUS	IPGUARD® MINI TOUCH	
REFERENCES	TP4G-11X	TP4G-AX	TP4G-IX	TP4G-XNA	
MECHANICAL CHARACTERISTICS					
Facia dim. (HxWxD)	350 x 160 x 3 mm	270 x 120 x 14 mm	280 x 120 x 3 mm	280 x 120 x 3 mm	
Backbox dim. (HxWxD)	335 x 142 x 60 mm	245 x 95 x 45 mm	254 x 95 x 60 mm	254 x 95 x 60 mm	
Flush flange (HxW)	380 x 200 mm	-	-	-	
Material	Stainless Steel 316	Aluminium in Silver / Champagne / Matt Black	Stainless Steel 316 / Brass	Aluminium / S. Steel 316 / Brass	
Finish	Brushed	Brushed	Brushed	Brushed	
Protection rating	IK09 / IP54	IK09 / IP54	IK09 / IP54	IK09 / IP54	
ELECTRICAL CHARACTERISTICS					
Power		12 V DC			
Consumption	2A r	A max (whilst communicating via 4G)			
Relay	2 relays 5 A rated NO/NC programmable	1 relay 5 A rated NO/NC programmable			
Temperature	Operating -20°C to 60°C / Storage -40°C to 85°C	Operating -25°C to 70°C / Storage -40°C to 85°C			
FEATURES					
Colour camera	1. Pinhole hidden, angle of view H 60°, V 45° 2. Wide, angle of view H 90°, V 75°	Pinhole hidden, angle of view H 60°, V 45°			
Screen	TFT colour 3.5"	Customisable TFT colour 2.9"			
Proximity reader	Anti-vandal lexan, illuminated	Anti-vandal lexan, illuminated			
Coded keypad	2000 codes, large 15.6mm dia raised illuminated buttons, braille embossed				
Capacity	3000 flats	3000 flats		1 to 4 flats	
Inputs	2 no				
Smartphone App	IPGUARD APP on Google Play (Android), App Store (APPLE)				
Programming	WWW.BATICONNECT.COM available 24/7/365 real time				
Standard features	Customisable welcome screen – Backlight compensation – Proximity key and radio transmitter ANTI-CLONE guarantee – Smartphone access				
Mobile access	Open door via Ap	op on smart devices from anywhere, at any time			
Advanced features	Hearing aid loop	No	Hearing aid loop	With/without hearing aid loop	



24/7/365 www.baticonnect.com

Who uses our solutions?





































08000 156496 sales@ipdoorentry.co.uk www.ipdoorentry.co.uk f ipdoorentry

IP Door Entry Limited Unit DC4 Prologis Park Eastman Way Hemel Hempstead HP2 7DU

